

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2185	(monitor or display or viewfinder or finder) same (flash or strobe) same (inhibit\$3 or prevent\$3 or prohibit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:22
L2	678	348/370-372.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:40
L3	35	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:41
L4	866	348/207.99.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:42
L5	10	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:42
L6	37	348/333.13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:43
L7	979	396/129,203,205,206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:44
L8	50	1 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:47
L9	536	396/301-302.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:48
L10	12	1 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:48
L11	222	((charge or voltage or power) with ((remain\$3 or threshold or value) near7 (below or less or under)) with display\$3) and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:59
L12	26	11 and (2 or 4 or 6 or 7 or 9)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:57
L13	254	((charge or voltage or power) with ((remain\$3 or threshold or value) near7 (below or less or under)) with capacitor) and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 15:57

L14	33	13 and (2 or 4 or 6 or 7 or 9)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:00
L15	1254	((charge or voltage or power) with ((remain\$3 or threshold or value) near7 (below or less or under)) same (display\$3 or monitor or capacitor or flash)) and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:07
L16	87	15 and (2 or 4 or 6 or 7 or 9)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:00
L17	230	((charge or voltage or power) with ((remain\$3 or threshold or value) near7 (below or less or under)) same (display\$3 or monitor or capacitor or flash)) same camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:09
L18	39	((charge or voltage or power) with ((remain\$3 or threshold or value) near7 (below or less or under)) same (prevent\$3 or prohibit\$3 or inhibit\$3) same (display\$3 or monitor or capacitor or flash)) same camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:15
L19	145	((charge or voltage or power) with ((remain\$3 or threshold or value) near7 (below or less or under)) same (prevent\$3 or prohibit\$3 or inhibit\$3) same (display or monitor)) same charg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:19
L20	98616	(charge or voltage or power) with ((remain\$3 or threshold or value) near7 (below or less or under))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:20
L21	17	1 same 20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:20
L22	205945	(monitor or display or viewfinder or finder) same (inhibit\$3 or prevent\$3 or prohibit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:23
L23	801	20 same 22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:23
L24	71	23 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/15 16:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((image adj1 pickup) or CCD\$1 or imager or sensor) and (storage or memory) and program and interface and detect\$3 and display and controller and flag and switch\$3 and mode).CLM.	US-PGPUB	OR	ON	2005/09/05 16:23
S2	92	((image adj1 pickup) or CCD\$1 or imager or sensor) and (storage or memory) and program and interface and detect\$3 and display and controller).CLM.	US-PGPUB	OR	ON	2005/09/05 16:24
S3	81	((image adj1 pickup) or CCD\$1 or imager or sensor) and (storage or memory) and program and interface and detect\$3 and display and controller and process\$3).CLM.	US-PGPUB	OR	ON	2005/09/05 16:26
S4	2	((image adj1 pickup) or CCD\$1 or imager or sensor) and (storage or memory) and program and interface and detect\$3 and display and controller and process\$3 and flag).CLM.	US-PGPUB	OR	ON	2005/09/05 16:26
S5	50	((image adj1 pickup) or CCD\$1 or imager or sensor) and (storage or memory) and program and interface and detect\$3 and display and controller and process\$3 and mode).CLM.	US-PGPUB	OR	ON	2005/09/05 16:27
S6	51	((image adj1 pickup) or CCD\$1 or imager or sensor) and (storage or memory) and program and interface and detect\$3 and display and controller and process\$3 and switch\$3).CLM.	US-PGPUB	OR	ON	2005/09/05 16:28
S7	36	((image adj1 pickup) or CCD\$1 or imager or sensor) and (storage or memory) and program and interface and detector and display and controller and processing and switch\$3).CLM.	US-PGPUB	OR	ON	2005/09/05 16:29
S8	34	((image adj1 pickup) or imager) and (storage or memory) and program and interface and detector and display and controller and processing and switch\$3 and mode).CLM.	US-PGPUB	OR	ON	2005/09/05 16:29